


Masonry(M)

Top-grade steel door frames for
single-piece or welded Installation



MASONARY (M)

TOP-GRADE STEEL DOOR
FRAMES FOR SINGLE-PIECE OR
WELDED INSTALLATION



Fire Rated *

- Up to 3 hours
- Singles/Pairs



LEEDS Certification
for Steel *



Durability



Design



Electrified

- A40 Galvanneal Metal - Paintable Material
- (M) Frames punched and mitred for tight fit
- For Interior and Exterior use

Die-Mitered
Multi-Tab Corner
Assembly

7-Gauge Hinge
Reinforcing

Unequal double
rebatted frame

16-Gauge A40
Galvanneal



Complies with
ANSI A250.8

1. Durability and Security

Robust Construction: Commercial steel frames are crafted from high-strength steel, ensuring they can endure heavy use and resist impacts. This makes them ideal for high-traffic areas and environments where durability is crucial.

2. Low Maintenance

Resilient Surface: The steel construction resists dents, scratches, and rust, ensuring that the frames maintain their appearance and functionality over time. This durability reduces the need for frequent repairs or replacements.

3. Energy Efficiency

Cost and Environmentally Friendly: By improving energy efficiency, these frames contribute to lower heating and cooling costs, offering long-term savings. Additionally, their energy-efficient design supports environmental sustainability by reducing energy consumption.

Additional Options:

- Special profiles
- Paintable galvanneal (unprimed) finish
- Drywall returns (double backbend)
- Custom faces and electrical preps
- Welded corners (face, profile, continuous)
- 14-Gauge A40 galvanneal steel
- 12-Gauge A40 galvanneal steel
- G90 galvanized steel

Applicable Standards:

- ASTM-E152
- CSFM-43.7
- CAN/ULC-S104
- NFPA-252
- UBC-43-2
- UL-10B
- UL 10C
- NFPA-80



CANADIAN
STEEL DOOR
MANUFACTURERS
ASSOCIATION



L'ASSOCIATION
CANADIENNE
DES FABRICANTS
DE PORTES D'ACIER

